

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

NEVADA

Exhibit V

Page S1

Effective March 1, 2012

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
0001	-	-	215.08	0.19	1710D	7.36	1000	2.46	0.15	2570	4.88	1000	1.93	0.21
0002	-	-	82.13	0.19	1741D	14.68	1000	3.03	0.12	2585	4.27	1000	1.69	0.21
0005	4.77	1000	1.76	0.19	1747	4.99	1000	1.68	0.15	2586	2.93	826	1.10	0.19
0008	3.41	922	1.21	0.17	1748	5.06	1000	1.65	0.14	2587	6.17	1000	2.46	0.21
0010	-	-	5.05	0.19	1803D	8.20	1000	2.24	0.13	2589	2.42	724	0.89	0.19
0016	7.44	1000	2.47	0.15	1852D	3.38	916	0.79	0.13	2600	2.79	798	1.18	0.21
0034	5.01	1000	1.86	0.19	1853	3.27	894	1.21	0.17	2623	6.46	1000	2.29	0.17
0035	4.04	1000	1.57	0.21	1860	2.42	724	0.95	0.21	2651	3.45	930	1.34	0.21
0036	4.75	1000	1.77	0.19	1924	3.75	990	1.48	0.21	2660	3.06	852	1.20	0.21
0037	7.05	1000	2.53	0.17	1925	4.94	1000	1.74	0.17	2670	2.69	778	1.12	0.24
0039	-	-	2.53	0.17	2001	-	-	1.65	0.19	2683	2.35	710	0.91	0.21
0042	5.20	1000	1.84	0.17	2002	4.49	1000	1.76	0.21	2688	3.72	984	1.46	0.21
0050	8.18	1000	3.07	0.19	2003	4.40	1000	1.65	0.19	2702	30.35	1000	7.52	0.12
0054	-	-	1.86	0.19	2014	8.45	1000	2.81	0.15	2709	20.77	1000	7.12	0.15
0058	-	-	5.05	0.19	2016	2.90	820	1.15	0.21	2710	10.35	1000	3.05	0.13
0060	-	-	3.50	0.13	2021	5.92	1000	2.11	0.17	2714	5.67	1000	2.22	0.21
0079	6.10	1000	2.02	0.15	2039	2.22	684	0.89	0.21	2727X	10.21	1000	3.51	0.15
0083	13.70	1000	5.05	0.19	2041	3.80	1000	1.50	0.21	2731	5.80	1000	1.92	0.15
0091	-	-	5.05	0.19	2065	4.56	1000	1.73	0.19	2735	5.68	1000	2.23	0.21
0092	-	-	2.35	0.21	2070	6.25	1000	2.37	0.19	2759	6.75	1000	2.64	0.21
0093	-	-	1.86	0.19	2081	6.73	1000	2.45	0.19	2790	5.14	1000	2.04	0.21
0094	-	-	2.47	0.15	2089	4.56	1000	1.69	0.19	2797	5.44	1000	1.93	0.17
0100	-	-	1.76	0.19	2095	3.80	1000	1.40	0.19	2799	3.96	1000	1.40	0.17
0101	-	-	5.05	0.19	2105	3.86	1000	1.51	0.21	2802	5.44	1000	1.93	0.17
0102	-	-	1.35	0.18	2110	3.82	1000	1.49	0.21	2812	-	-	1.65	0.19
0105	-	-	1.77	0.19	2111	5.76	1000	2.21	0.21	2835	3.91	1000	1.61	0.24
0106	34.02	1000	9.72	0.13	2112	3.98	1000	1.58	0.21	2836	3.99	1000	1.65	0.24
0107	-	-	3.77	0.15	2114	2.82	804	1.11	0.21	2841	4.31	1000	1.67	0.21
0113	6.36	1000	2.30	0.19	2121	2.72	784	1.03	0.19	2881	2.90	820	1.20	0.24
0169X	3.80	1000	1.35	0.18	2130	3.98	1000	1.48	0.19	2883	4.33	1000	1.65	0.19
0170	5.38	1000	1.97	0.19	2131	4.01	1000	1.50	0.19	2913	5.44	1000	2.23	0.24
0251	5.52	1000	2.09	0.19	2143	3.93	1000	1.55	0.21	2915	4.48	1000	1.58	0.17
0400	11.91	1000	4.40	0.17	2156	-	-	2.97	0.19	2916	5.75	1000	1.71	0.13
0401	12.93	1000	3.83	0.13	2157	7.81	1000	2.97	0.19	2923	3.30	900	1.31	0.21
0771N	0.89	-	-	-	2172	2.53	746	0.93	0.17	2942	3.61	962	1.53	0.24
0908P	219.00	459	82.13	0.19	2174	3.48	936	1.39	0.21	2960	6.41	1000	2.39	0.19
0913P	568.00	808	215.08	0.19	2211	7.84	1000	2.56	0.15	3004	3.30	900	1.11	0.15
0917	6.13	1000	2.36	0.21	2220	3.64	968	1.35	0.19	3018	6.78	1000	2.22	0.15
1005*	18.83	1000	2.48	0.12	2286	2.70	780	1.06	0.21	3022	4.75	1000	1.87	0.21
1016X*	32.13	1000	1.30	0.20	2288	3.62	964	1.44	0.21	3027	3.57	954	1.19	0.15
1164D	12.06	1000	2.94	0.12	2300	2.80	800	1.16	0.24	3028	4.19	1000	1.56	0.19
1165D	9.32	1000	2.76	0.13	2302	2.27	694	0.85	0.19	3030	11.80	1000	3.94	0.15
1320	4.27	1000	1.28	0.13	2305	3.77	994	1.37	0.17	3040	10.77	1000	3.63	0.15
1322	11.16	1000	3.38	0.13	2361	2.22	684	0.83	0.19	3041	5.43	1000	2.06	0.19
1430	9.10	1000	2.98	0.15	2362	2.25	690	0.84	0.19	3042	6.68	1000	2.41	0.17
1438	3.22	884	0.97	0.13	2380	3.57	954	1.33	0.19	3064	5.12	1000	1.94	0.19
1452	2.62	764	0.89	0.15	2386	2.11	662	0.85	0.21	3066	-	-	2.21	0.21
1463	11.88	1000	3.55	0.13	2388	2.27	694	0.89	0.21	3069	7.15	1000	2.39	0.15
1472	3.90	1000	1.16	0.13	2402	3.53	946	1.17	0.15	3076	5.41	1000	2.21	0.21
1624D	6.95	1000	2.07	0.13	2413	2.35	710	0.88	0.19	3081D	6.18	1000	2.00	0.15
1642	4.97	1000	1.66	0.15	2416	2.24	688	0.83	0.19	3082D	7.39	1000	2.37	0.15
1654	16.12	1000	5.43	0.15	2417	2.64	768	0.99	0.19	3085D	6.02	1000	1.96	0.15
1655	6.83	1000	2.23	0.15	2501	4.72	1000	1.73	0.19	3110	4.75	1000	1.78	0.19
1699	7.18	1000	2.35	0.15	2503	1.30	500	0.51	0.21	3111	5.91	1000	2.20	0.19
1701	6.31	1000	2.12	0.15	2534	3.45	930	1.33	0.21	3113	2.51	742	0.94	0.19

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

NEVADA

Exhibit V

Page S2

Effective March 1, 2012

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
3114	5.02	1000	1.98	0.19	3724	5.67	1000	1.71	0.13	4362	-	-	0.94	0.21
3118	2.43	726	0.95	0.21	3726	4.94	1000	1.23	0.12	4410	5.70	1000	2.13	0.19
3119	1.69	578	0.71	0.24	3803	3.46	932	1.31	0.19	4420	5.62	1000	1.72	0.13
3122	3.11	862	1.20	0.21	3807	3.33	906	1.31	0.21	4431	2.51	742	1.06	0.24
3126	4.60	1000	1.73	0.19	3808	4.57	1000	1.66	0.17	4432	2.25	690	0.93	0.24
3131	2.96	832	1.09	0.19	3821	6.65	1000	2.36	0.17	4439	2.42	724	0.87	0.17
3132	5.99	1000	2.22	0.19	3822	7.13	1000	2.59	0.17	4452	4.59	1000	1.72	0.19
3145	2.98	836	1.10	0.19	3824	8.10	1000	2.86	0.17	4459	5.28	1000	1.94	0.19
3146	3.67	974	1.36	0.19	3826	1.18	476	0.45	0.19	4470	3.20	880	1.20	0.19
3169	4.48	1000	1.71	0.19	3827	2.04	648	0.73	0.17	4484	3.45	930	1.27	0.19
3175D	4.04	1000	1.49	0.19	3830	1.80	600	0.64	0.17	4493	3.40	920	1.29	0.19
3179	2.46	732	0.99	0.21	3851	4.35	1000	1.71	0.21	4511	1.59	558	0.56	0.17
3180	3.03	846	1.17	0.21	3865	3.27	894	1.34	0.24	4557	2.42	724	0.95	0.21
3188	3.16	872	1.24	0.21	3881	5.44	1000	2.05	0.19	4558	4.11	1000	1.52	0.19
3220	3.28	896	1.23	0.19	4000	8.47	1000	2.54	0.13	4561	-	-	0.87	0.17
3223	4.56	1000	1.82	0.24	4021	5.46	1000	1.81	0.15	4568	4.11	1000	1.35	0.15
3224	4.86	1000	1.99	0.21	4024D	5.20	1000	1.76	0.15	4581	2.43	726	0.71	0.13
3227	7.21	1000	2.86	0.21	4034	9.11	1000	3.04	0.15	4583	5.22	1000	1.53	0.13
3240	2.90	820	1.15	0.21	4036	5.12	1000	1.73	0.15	4611	1.50	540	0.59	0.21
3241	4.60	1000	1.73	0.19	4038	4.33	1000	1.79	0.24	4635	3.93	1000	0.96	0.12
3255	2.64	768	1.09	0.24	4053	4.11	1000	1.51	0.19	4653	2.45	730	0.98	0.21
3257	5.30	1000	2.03	0.19	4061	7.79	1000	3.11	0.21	4665	13.01	1000	4.37	0.15
3270	3.20	880	1.20	0.19	4062	2.91	822	1.09	0.19	4670	7.15	1000	2.43	0.15
3300	6.79	1000	2.55	0.19	4101	4.88	1000	1.72	0.17	4683	4.03	1000	1.51	0.19
3303	4.14	1000	1.64	0.21	4109	1.24	488	0.49	0.21	4686	2.66	772	0.88	0.15
3307	4.20	1000	1.57	0.19	4110	1.85	610	0.71	0.19	4692	1.00	440	0.40	0.21
3315	5.84	1000	2.31	0.21	4111	4.46	1000	1.77	0.21	4693	1.14	468	0.42	0.19
3334	5.17	1000	2.00	0.19	4112	-	-	0.71	0.19	4703	4.94	1000	1.84	0.19
3336	4.12	1000	1.36	0.15	4113	2.22	684	0.84	0.19	4717	3.16	872	1.34	0.24
3365	6.33	1000	2.12	0.15	4114	3.98	1000	1.50	0.19	4720	2.62	764	0.98	0.19
3372	3.20	880	1.14	0.17	4130	5.10	1000	1.92	0.19	4740	2.22	684	0.74	0.15
3373	5.99	1000	2.23	0.19	4131	4.54	1000	1.77	0.21	4741	6.87	1000	2.42	0.18
3383	1.63	566	0.64	0.21	4133	4.38	1000	1.71	0.21	4751	2.70	780	0.88	0.14
3385	1.30	500	0.51	0.21	4149	1.01	442	0.42	0.24	4771N	4.99	1000	1.21	0.12
3400	3.90	1000	1.39	0.17	4150	-	-	0.42	0.24	4777	9.13	1000	2.21	0.12
3507	5.41	1000	2.01	0.19	4206	5.10	1000	1.96	0.19	4825	1.64	568	0.53	0.15
3515	3.14	868	1.19	0.19	4207	1.50	540	0.51	0.15	4828	2.67	774	0.95	0.17
3548	2.06	652	0.78	0.19	4239	3.69	978	1.20	0.14	4829	2.24	688	0.67	0.13
3559	3.33	906	1.23	0.19	4240	3.74	988	1.46	0.21	4902	3.19	878	1.25	0.21
3574	1.84	608	0.71	0.21	4243	3.06	852	1.13	0.19	4923	1.75	590	0.65	0.19
3581	2.03	646	0.80	0.21	4244	3.78	996	1.44	0.19	5020	6.73	1000	2.28	0.15
3612	3.11	862	1.11	0.17	4250	2.54	748	0.95	0.19	5022	6.54	1000	1.96	0.13
3620	5.55	1000	1.85	0.15	4251	4.69	1000	1.71	0.19	5037	33.75	1000	8.74	0.13
3629	2.13	666	0.84	0.21	4263	4.67	1000	1.78	0.19	5040	19.00	1000	4.76	0.12
3632	3.70	980	1.32	0.17	4273	3.43	926	1.27	0.19	5057	11.91	1000	2.89	0.12
3634	3.48	936	1.38	0.21	4279	3.94	1000	1.47	0.19	5059	26.00	1000	6.33	0.12
3635	3.94	1000	1.47	0.19	4282	3.64	968	1.50	0.21	5069	52.08	1000	13.39	0.13
3638	2.22	684	0.88	0.21	4283	4.40	1000	1.64	0.19	5102	7.25	1000	2.16	0.13
3642	2.43	726	0.90	0.19	4299	4.04	1000	1.58	0.21	5146	9.24	1000	3.12	0.15
3643	7.37	1000	2.68	0.19	4304	3.82	1000	1.35	0.17	5160	5.04	1000	1.52	0.13
3647	3.86	1000	1.40	0.17	4307	2.80	800	1.15	0.24	5183	5.97	1000	2.01	0.15
3648	2.45	730	0.96	0.21	4351	1.32	504	0.50	0.19	5188	5.36	1000	1.79	0.15
3681	1.47	534	0.57	0.21	4352	2.46	732	0.96	0.21	5190	4.28	1000	1.45	0.15
3685	1.24	488	0.48	0.21	4360	2.45	730	0.94	0.21	5191	2.25	690	0.83	0.19
3719	2.11	662	0.53	0.12	4361	2.11	662	0.83	0.21	5192	4.35	1000	1.65	0.19

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

NEVADA

Exhibit V

Page S3

Effective March 1, 2012

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
5213	9.79	1000	2.96	0.13	6400	14.60	1000	5.19	0.17	7405N	2.58	1000	0.85	0.16
5215	5.30	1000	1.91	0.17	6503	4.77	1000	1.89	0.21	7408X	1.13	466	0.27	0.12
5221	5.97	1000	1.98	0.15	6504	4.77	1000	1.89	0.21	7409	-	-	5.68	0.13
5222	8.15	1000	2.43	0.13	6702M*	8.10	1000	2.72	0.15	7420X	21.77	1000	5.68	0.13
5223	4.75	1000	1.59	0.15	6703M*	10.92	1000	3.56	0.15	7421	2.25	690	0.69	0.13
5348	4.01	1000	1.37	0.15	6704M*	9.00	1000	3.03	0.15	7422X	6.57	1000	1.71	0.13
5402	4.03	1000	1.63	0.21	6801F	14.06	1000	3.67	0.14	7423	-	-	2.10	0.15
5403	12.24	1000	3.67	0.13	6811	10.63	1000	3.64	0.15	7425	5.91	1000	1.54	0.13
5437	6.70	1000	2.28	0.15	6824F	16.79	1000	4.07	0.11	7431N	3.17	1000	0.82	0.13
5443	3.32	904	1.25	0.19	6826F	14.22	1000	3.76	0.13	7445N	1.38	-	-	-
5445	5.73	1000	1.71	0.13	6834	4.94	1000	1.77	0.17	7453N	1.71	-	-	-
5462	6.28	1000	2.13	0.15	6836	6.84	1000	2.25	0.16	7502	3.93	1000	1.31	0.15
5472	7.41	1000	1.84	0.12	6843F	21.07	1000	4.39	0.10	7515	4.20	1000	0.99	0.12
5473	12.98	1000	3.15	0.12	6845F	26.87	1000	5.58	0.10	7520	5.78	1000	2.14	0.19
5474	5.68	1000	1.70	0.13	6854	9.13	1000	2.25	0.15	7538	11.56	1000	2.84	0.12
5478	5.96	1000	2.04	0.15	6872F	24.01	1000	4.98	0.10	7539	3.27	894	0.98	0.13
5479	7.41	1000	2.65	0.17	6874F	38.17	1000	7.96	0.10	7540	5.49	1000	1.33	0.12
5480	5.81	1000	1.74	0.13	6882	5.38	1000	1.34	0.13	7580	6.28	1000	2.19	0.15
5491	7.94	1000	2.37	0.13	6884	12.33	1000	3.18	0.13	7590	12.51	1000	4.16	0.16
5506	13.64	1000	3.37	0.12	7016M	5.41	1000	1.39	0.13	7600	5.47	1000	1.84	0.15
5507	5.54	1000	1.67	0.13	7024M	6.01	1000	1.54	0.13	7601	5.51	1000	1.65	0.13
5508D	12.92	1000	4.36	0.15	7038M	6.10	1000	1.47	0.14	7605	4.40	1000	1.46	0.15
5535	7.34	1000	2.48	0.15	7046M	12.77	1000	3.26	0.13	7610	1.16	472	0.41	0.17
5537	7.36	1000	2.47	0.15	7047M	7.28	1000	1.81	0.13	7611	5.30	1000	1.79	0.15
5538	-	-	2.48	0.15	7050M	8.23	1000	1.92	0.14	7612	6.62	1000	2.21	0.15
5551	17.37	1000	4.22	0.12	7090M	6.78	1000	1.63	0.14	7613	5.55	1000	1.87	0.15
5606	3.35	910	1.00	0.13	7098M	14.18	1000	3.62	0.13	7704	-	-	2.67	0.13
5610	4.99	1000	1.87	0.19	7099M	17.21	1000	4.26	0.13	7705	10.21	1000	3.59	0.17
5645	9.92	1000	2.90	0.13	7133	8.76	1000	2.61	0.13	7710	9.24	1000	2.67	0.13
5651	9.92	1000	2.90	0.13	7151M	10.64	1000	3.18	0.13	7711X	1.88	616	0.52	0.13
5703	20.46	1000	6.80	0.15	7152M	14.35	1000	4.15	0.13	7720	7.08	1000	2.35	0.15
5705	10.21	1000	3.28	0.17	7153M	11.82	1000	3.53	0.13	7723X	4.27	1000	1.01	0.13
5951	0.72	384	0.28	0.21	7222	12.86	1000	4.41	0.15	7724X	5.09	1000	1.29	0.14
6003	8.18	1000	2.76	0.15	7228	10.45	1000	3.49	0.15	7726X	0.52	344	0.13	0.13
6005	6.44	1000	2.20	0.15	7229	9.87	1000	2.94	0.13	7855	6.67	1000	2.24	0.15
6017	8.05	1000	2.80	0.15	7230	10.42	1000	3.77	0.17	8001	4.14	1000	1.63	0.21
6018	4.06	1000	1.43	0.15	7231	13.04	1000	4.75	0.17	8002	4.36	1000	1.60	0.19
6045	3.49	938	1.21	0.15	7232	8.86	1000	2.69	0.13	8006	3.62	964	1.32	0.19
6204	13.35	1000	3.98	0.13	7309F	33.46	1000	6.96	0.10	8008	1.67	574	0.65	0.21
6206	5.07	1000	1.25	0.12	7313F	9.52	1000	1.98	0.10	8010	2.43	726	0.95	0.21
6213	2.85	810	0.87	0.13	7317F	17.03	1000	3.53	0.10	8013	0.71	382	0.27	0.19
6214	4.56	1000	1.15	0.12	7327F	27.66	1000	5.80	0.10	8015	1.18	476	0.43	0.19
6216	8.13	1000	2.02	0.12	7333M	11.14	1000	2.95	0.13	8017	2.03	646	0.77	0.21
6217	8.50	1000	2.53	0.13	7335M	12.38	1000	3.28	0.13	8018	3.61	962	1.41	0.21
6229	5.38	1000	1.60	0.13	7337M	15.02	1000	3.86	0.13	8021	3.35	910	1.24	0.19
6233	4.96	1000	1.50	0.13	7350F	20.80	1000	5.03	0.11	8031	3.09	858	1.14	0.19
6235	8.37	1000	2.08	0.12	7360	9.77	1000	3.23	0.15	8032	3.14	868	1.22	0.21
6236	15.12	1000	5.10	0.15	7370	8.57	1000	3.14	0.19	8033	3.30	900	1.19	0.19
6237	2.69	778	0.92	0.15	7382	6.33	1000	2.33	0.19	8037	2.03	646	0.77	0.21
6251D	10.34	1000	3.13	0.13	7390	8.68	1000	3.25	0.19	8039	2.87	814	1.09	0.21
6252D	10.87	1000	2.68	0.12	7394M	18.40	1000	4.76	0.13	8044	4.03	1000	1.43	0.17
6260D	15.71	1000	4.02	0.13	7395M	20.45	1000	5.29	0.13	8045	1.03	446	0.40	0.21
6306	7.94	1000	2.38	0.13	7398M	24.81	1000	6.23	0.13	8046	3.86	1000	1.42	0.19
6319	4.67	1000	1.39	0.13	7402	0.55	350	0.20	0.19	8047	1.00	440	0.39	0.21
6325	7.42	1000	2.19	0.13	7403	6.41	1000	2.10	0.15	8058	6.44	1000	2.33	0.19

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit V

NEVADA

Page S4

Effective March 1, 2012

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
8072	1.38	516	0.53	0.21	8810	0.55	350	0.20	0.19	9190	-	-	2.93	0.15
8102	3.03	846	1.19	0.21	8814M	0.66	372	0.24	0.19	9220	5.91	1000	2.09	0.17
8103	4.48	1000	1.57	0.17	8815M	0.90	420	0.32	0.19	9402	7.08	1000	2.37	0.15
8105	4.44	1000	1.74	0.21	8820	0.43	326	0.16	0.17	9403	11.35	1000	3.40	0.13
8106	7.71	1000	2.56	0.15	8824	5.91	1000	2.28	0.21	9410	2.30	700	0.84	0.19
8107	6.07	1000	2.02	0.15	8825	2.58	756	1.05	0.24	9450X	0.92	424	0.37	0.21
8111	4.59	1000	1.71	0.19	8826	3.56	952	1.32	0.19	9452X	3.01	842	1.00	0.15
8116	3.62	964	1.36	0.19	8829	2.88	816	1.06	0.19	9453X	3.96	1000	1.49	0.19
8203	7.42	1000	2.79	0.19	8831	3.11	862	1.11	0.18	9501	3.45	930	1.23	0.17
8204	4.69	1000	1.57	0.15	8832	0.63	366	0.23	0.19	9505	3.65	970	1.31	0.17
8209	4.60	1000	1.71	0.19	8833	1.42	524	0.53	0.19	9516	4.36	1000	1.46	0.15
8215	4.89	1000	1.60	0.15	8835	3.30	900	1.24	0.19	9519	6.02	1000	2.00	0.15
8227	9.27	1000	2.25	0.12	8855	0.45	330	0.18	0.21	9521	5.68	1000	1.92	0.15
8232	6.38	1000	2.14	0.15	8856	0.55	350	0.20	0.19	9522	2.61	762	0.98	0.19
8233	6.97	1000	2.41	0.15	8861X	1.80	600	0.66	0.19	9534	6.60	1000	2.00	0.13
8235	6.02	1000	2.28	0.19	8867	-	-	0.31	0.21	9554	14.54	1000	4.39	0.13
8263	12.56	1000	4.57	0.17	8868	0.81	402	0.31	0.21	9586	1.24	488	0.51	0.24
8264	8.73	1000	2.91	0.15	8869	1.77	594	0.68	0.21	9600	2.54	748	1.02	0.21
8265	9.18	1000	2.66	0.13	8871	0.45	330	0.18	0.21	9609X	0.58	356	0.20	0.15
8279	12.20	1000	3.50	0.13	8901	0.37	314	0.13	0.17	9620	1.55	550	0.55	0.17
8288	11.56	1000	3.77	0.15	9012	2.04	648	0.72	0.17	9661X	2.25	690	0.81	0.16
8291	5.07	1000	1.80	0.17	9014	4.36	1000	1.61	0.19	9662X	4.81	1000	1.21	0.12
8292	6.52	1000	2.41	0.19	9015	4.09	1000	1.52	0.19					
8293	12.48	1000	4.18	0.15	9016	4.80	1000	1.71	0.18					
8304	10.05	1000	3.33	0.15	9019	3.78	996	1.29	0.15					
8350	9.06	1000	2.65	0.13	9022X	1.30	500	0.48	0.19					
8380	3.96	1000	1.40	0.17	9033	2.98	836	1.13	0.19					
8381	3.69	978	1.29	0.17	9040	3.82	1000	1.49	0.21					
8385	3.72	984	1.25	0.15	9052	2.67	774	1.04	0.21					
8392	2.82	804	1.04	0.19	9058	1.75	590	0.72	0.24					
8393	2.62	764	1.00	0.19	9059	-	-	0.68	0.21					
8500	8.61	1000	2.81	0.14	9060	2.13	666	0.83	0.21					
8601	1.40	520	0.51	0.17	9061	1.98	636	0.82	0.24					
8602	1.40	520	0.51	0.17	9063	1.27	494	0.49	0.21					
8603	0.55	350	0.20	0.19	9077F	2.22	684	0.64	0.18					
8606	6.20	1000	1.86	0.13	9082	1.35	510	0.55	0.24					
8709F	11.95	1000	2.49	0.12	9083	2.35	710	0.94	0.24					
8719	7.18	1000	1.72	0.12	9084	1.84	608	0.67	0.19					
8720	1.85	610	0.62	0.15	9088	3.28	896	0.88	0.13					
8721	0.69	378	0.22	0.15	9089	1.22	484	0.48	0.21					
8723	0.55	350	0.20	0.19	9093	1.85	610	0.71	0.21					
8725	1.85	610	0.62	0.15	9101	4.54	1000	1.77	0.21					
8726F	7.47	1000	2.00	0.13	9102	2.75	790	1.04	0.19					
8734M	1.38	516	0.46	0.19	9110X	4.01	1000	1.48	0.19					
8737M	1.26	492	0.41	0.19	9150X	0.42	324	0.17	0.21					
8738M	1.69	578	0.54	0.15	9152	-	-	1.50	0.17					
8742	1.03	446	0.34	0.15	9154	2.82	804	1.07	0.19					
8745	5.70	1000	2.00	0.17	9156	4.22	1000	1.50	0.17					
8748	1.21	482	0.42	0.17	9170	6.49	1000	1.54	0.16					
8755	0.92	424	0.31	0.15	9178	5.07	1000	2.12	0.24					
8799	1.53	546	0.57	0.19	9179	46.01	1000	19.24	0.21					
8800	2.09	658	0.86	0.24	9180	9.18	1000	2.93	0.15					
8803	0.26	292	0.08	0.15	9182	3.27	894	1.19	0.19					
8805M	0.74	388	0.28	0.19	9183	-	-	0.49	0.21					
8808	-	-	0.18	0.21	9186	28.34	1000	8.24	0.13					

* Refer to the Footnotes Page for additional information on this class code.

Effective March 1, 2012

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

FOOTNOTES

D Rate for classification already includes the specific disease loading shown in the table below. See **Basic Manual** Rule 3-A-7.

Disease			Disease			Disease		
Code No.	Loading	Symbol	Code No.	Loading	Symbol	Code No.	Loading	Symbol
1164D	0.18	S	1852D	0.08	Asb	5508D	0.06	S
1165D	0.14	S	3081D	0.11	S	6251D	0.08	S
1624D	0.06	S	3082D	0.18	S	6252D	0.13	S
1710D	0.10	S	3085D	0.11	S	6260D	0.19	S
1741D	2.03	S	3175D	0.06	S			
1803D	0.60	S	4024D	0.03	S			

S=Silica, Asb=Asbestos

F Rate provides for coverage under the United States Longshore and Harbor Workers Compensation Act and its extensions. Rate includes a provision for USL&HW Assessment.

M Risks are subject to Admiralty Law or Federal Employers Liability Act (FELA). However, the published rate is for risks that voluntarily purchase standard workers compensation and employers liability coverage. A provision for the USL&HW Assessment is included for those classifications under Program II USL Act. The listed codes of 6702, 6703, 6704, 7151, 7152, 7153, 8734, 8737, 8738, 8805, 8814, and 8815 under the Federal Employers' Liability Act (FELA) for employees of interstate railroads are not applicable in the residual market.

N This code is part of a ratable / non-ratable group shown below. The statistical non-ratable code and corresponding rate are applied in addition to the basic classification when determining premium.

Class Code	Non-Ratable Element Code
4771	0771
7405	7445
7431	7453

P Classification is computed on a per capita basis.

X Refer to special classification phraseology in these pages which is applicable in this state.

*** Class Codes with Specific Footnotes**

1005 Rate includes a non-ratable disease element of \$8.98. (For coverage written separately for federal benefits only, \$3.33. For coverage written separately for state benefits only, \$5.65.)

1016 Rate includes a non-ratable disease element of \$26.96. (For coverage written separately for federal benefits only, \$10.01. For coverage written separately for state benefits only, \$16.95.)

6702 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection code rate and elr each x 1.215.

6703 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate x 1.638 and elr x 1.589.

6704 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate and elr each x 1.35.

Effective March 1, 2012
APPLICABLE TO ASSIGNED RISK POLICIES ONLY

MISCELLANEOUS VALUES

Basis of premium applicable in accordance with **Basic Manual** footnote instructions for Code 7370 -- "Taxicab Co.":

Employee operated vehicle.....	\$36,000.00
Leased or rented vehicle.....	\$36,000.00

Catastrophe (other than Certified Acts of Terrorism) - (Assigned Risk)..... 0.01

Expense Constant applicable in accordance with **Basic Manual** Rule 3-A-11..... \$240.00

Loss Sensitive Rating Plan (LSRP) - The factors which are used in the calculation of the LSRP are as follows:

Basic Premium Factor	0.40
Minimum Premium Factor	0.75
Maximum Premium Factor	1.75
Loss Conversion Factor	1.157
Tax Multiplier	1.036

Loss Development Factors	
1st Adjustment	0.30
2nd Adjustment	0.28
3rd Adjustment	0.18
4th Adjustment	0.18

Maximum Payroll applicable to officers of a private, nonprofit and quasi-public corporation and managers of a limited-liability company (NRS 616B.624)

Receiving compensation. Deemed per year.....	\$36,000.00
Not receiving compensation. Deemed per year.....	\$6,000.00

Minimum Payroll applicable to officers of a private, nonprofit and quasi-public corporation and managers of a limited-liability company (NRS 616B.624)

Receiving compensation. Deemed per year.....	\$6,000.00
Not receiving compensation. Deemed per month.....	\$500.00

Per Passenger Seat Surcharge - In accordance with **Basic Manual** footnote instructions for Code 7421, the surcharge is:

Maximum surcharge per aircraft.....	\$1,000.00
Per passenger seat.....	\$100.00

Premium Reduction Percentages - The following percentages are applicable by deductible amount and hazard group for total losses on a per claim basis:

Deductible Amount	Total Losses						
	HAZARD GROUP						
	A	B	C	D	E	F	G
\$100	1.0%	0.7%	0.6%	0.5%	0.4%	0.2%	0.2%
\$250	2.1%	1.6%	1.3%	1.1%	0.9%	0.6%	0.4%
\$500	3.5%	2.7%	2.2%	1.8%	1.5%	1.0%	0.7%
\$1,000	5.1%	4.0%	3.4%	2.8%	2.3%	1.6%	1.1%
\$1,500	6.3%	5.0%	4.2%	3.5%	2.9%	2.0%	1.5%
\$2,000	7.2%	5.7%	4.9%	4.1%	3.4%	2.4%	1.8%
\$2,500	8.0%	6.4%	5.5%	4.6%	3.9%	2.8%	2.0%
\$5,000	11.2%	9.1%	7.9%	6.8%	5.7%	4.2%	3.1%
\$10,000	15.5%	12.8%	11.3%	9.8%	8.4%	6.4%	4.8%
\$15,000	18.7%	15.7%	13.9%	12.3%	10.5%	8.2%	6.2%
\$20,000	21.2%	18.0%	16.0%	14.3%	12.3%	9.7%	7.4%

Premium Determination for Partners and Sole Proprietors (NRS 616B.659)

Deemed wage per month.....	\$300.00
Elective wage per month in accordance with NRS 616B.659.....	\$1,800.00

Effective March 1, 2012

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

MISCELLANEOUS VALUES (cont.)

Premium Determination for Partners and Sole Proprietors (NRS 616A.210)	
Licensed as subcontractors and working as a subcontractor under the direction of the principal contractor. Deemed wage per month.....	\$500.00
Terrorism - (Assigned Risk)	0.01
United States Longshore and Harbor Workers' Compensation Coverage Percentage applicable only in connection with Basic Manual Rule 3-A-4.....	24%

(Multiply a Non-F classification rate by a factor of 1.24 to adjust for differences in benefits and loss-based expenses. This factor is the product of the adjustment for differences in benefits (1.17) and the adjustment for differences in loss-based expenses (1.058).)

Experience Rating Eligibility

A risk is eligible for intrastate experience rating when the payrolls or other exposures developed in the last year or last two years of the experience period produced a premium of at least \$6,000. If more than two years, an average annual premium of at least \$3,000 is required. Page A-1 of the **Experience Rating Plan Manual** should be referenced for the latest approved eligibility amounts by state.